

**EFFICACY OF SELECTED INORGANIC SALTS ON THE
CONTROL OF ANTHRACNOSE FUNGUS (*Colletotrichum*
musae) IN BANANA VARIETY *KOLIKUTTU***



BY

SINTHUJA SIVANANTHAM



FAG473



Project Report
Library - EUSL

**DEPARTMENT OF AGRICULTURAL BIOLOGY
FACULTY OF AGRICULTURE
EASTERN UNIVERSITY
SRI LANKA**

2017

**PROCESSED
Main Library, EUSL**

ABSTRACT

Anthracnose is a major postharvest disease causing significant reduction in the quality and quantity of banana production both globally and in Sri Lanka. *Colletotrichum musae* is the causative fungi of anthracnose of banana. Use of non-fungicidal approaches for the control of postharvest pathogens has become an emerging trend due to environmental and health hazards caused by the application of fungicides. Experiments were conducted at the Agricultural Biology Laboratory, Eastern University, Sri Lanka to evaluate selected inorganic salts which are generally regarded as safe (GRAS) compounds for the control of banana anthracnose. The banana variety *Kolikuttu* was used for this study. The experiment was laid out in the Completely Randomized Design with eight treatments and three replications for *in vivo* investigation and five treatments and four replications for *in vitro* experiment.

The potential of 1% (w/v) sodium bicarbonate, 1% (w/v) sodium carbonate, 1% (v/v) clorox solution (a.i. sodium hypochlorite), hot water treatment (50 °C, 3 min) alone and in combination with the above inorganic salts (1%) with the hot water (50 °C, 3 min) to control the incidence of anthracnose in banana variety *Kolikuttu* was investigated during the storage at room température (28–30 °C).

Two sets of experiments were conducted *in vivo* as natural infestation and artificial inoculation. In each set of *in vivo* experiment, twenty four matured, unripe fruits were evaluated for the selected parameters such as area of disease development, expansion rate of anthracnose lesion and the number of days taken for the anthracnose symptom to appear. *In vitro* experiment was carried out to evaluate the fungal growth of *Colletotrichum musae* on potato dextrose agar. The parameters measured *in vitro* were growth rate of mycelia, mycelial inhibition percentage and lag period of mycelial

growth. The severity of disease was evaluated against inorganic salts and combined treatment of inorganic salts with hot water in both *in vivo* and *in vitro* experiments.

Incidence of disease development was significantly ($p<0.05$) reduced by the application of GRAS compounds. Among the non-fungicidal approaches tested, integrated approach of sodium carbonate with hot water treatment gave the highest performance in controlling anthracnose in banana similar to fungicide application. In addition, the combination of salts with hot water treatment showed high efficacy in controlling anthracnose than the treatments with salts alone. Therefore, the integrated approach could be used as an alternative to synthetic fungicide and could eliminate the application of fungicide during the postharvest process of banana. Hence, combination of sodium carbonate with hot water treatment could be a commercially acceptable and economically feasible non-fungicidal approach for the postharvest control of anthracnose during the storage of banana.

TABLE OF CONTENTS

	Page No
ABSTRACT.....	I
AKNOWLEDGEMENTS.....	III
TABLE OF CONTENTS.....	IV
LIST OF TABLES.....	IX
LIST OF FIGURES.....	X
LIST OF PLATES.....	XI
ABBREVIATIONS.....	XII
CHAPTER 1.....	1
INTRODUCTION.....	1
CHAPTER 2.....	7
LITERATURE REVIEW.....	7
2.1 Banana	7
2.1.1 Taxonomy.....	7
2.1.2 Origin and Distribution.....	8
2.1.3 Adaption	8
2.1.4 Morphology description	8
2.1.5 Varieties.....	9
2.1.5.1 Sucrier	9
2.1.5.2 Lady finger	10
2.1.5.3 Gros Michel	10
2.1.5.4 Dwarf Cavendish.....	10
2.1.5.5 Giant Cavendish	10
2.1.5.6 Robusta.....	11
2.1.5.7 Valery	11
2.1.5.8 Bluggoe	11

2.1.5.9 Mysore	11
2.1.5.10 Silk	11
2.1.5.11 Red.....	12
2.1.6 Classification of Sri Lankan varieties.....	12
2.1.6.1 Dessert type	12
2.1.6.2 Curry type.....	12
2.1.7 Banana Varieties planted in Sri Lanka	12
2.1.7.1 Dry zone	12
2.1.7.2 Wet zone.....	12
2.1.7.3 Intermediate zone	12
2.1.8 Uses of bananas	13
2.1.8.1 Banana vinegar	13
2.1.8.2 Banana wine	13
2.1.8.3 Banana Fiber.....	13
2.1.8.4 Animal feeding	13
2.1.8.5 Banana leaves	13
2.1.8.6 Banana figs	13
2.1.8.7 Banana puree	14
2.1.8.8 Banana flour	14
2.1.8.9 Banana Chips.....	14
2.1.8.10 Jam.....	14
2.1.8.11 Banana drink.....	14
2.1.8.12 Canned banana.....	15
2.1.8.13 Medicinal uses of banana	15
2.2 Harvesting	15
2.3. Fruit ripening	16
2.4 Postharvest process of banana	16
2.5 Postharvest losses of banana	17

2.5.1 Postharvest diseases.....	18
2.5.1.1 Anthracnose diseases.....	19
2.5.1.2 Causal organism and symptom of Anthracnose in banana	19
2.5.1.3 Development of anthracnose disease.....	20
2.5.1.4 Cultural and morphological characters of <i>Colletotrichum musae</i>	20
2.5.1.5 Growth characters of different isolates of <i>Colletotrichum</i> spp. on different media	21
2.5.1.6 Control measures of postharvest diseases	22
2.5.1.7 GRAS compounds	23
2.5.1.7.1 Sodium bicarbonate (NaHCO_3)	24
2.5.1.7.2 Sodium carbonate (Na_2CO_3).....	25
2.5.1.7.3 Sodium hypochlorite (NaOCl).....	26
2.5.1.8 Hot water treatment	26
CHAPTER 3	28
MATERIALS AND METHODS	28
3.1 Treatment structure.....	28
3.2 Experimental design	29
3.3 Sterilization of materials needed	29
3.3.1 Dry heat sterilization	29
3.3.2 Moist heat sterilization	29
3.4 Preparation of PDA medium	30
3.5 Pouring of PDA media	30
3.6 Isolation of fungal pathogens	31
3.6.1 Subculturing of <i>Colletotrichum musae</i>	31
3.6.2 Pure culturing of fungi <i>C. musae</i>	31
3.7 Microscopic observation of <i>Colletotrichum musae</i>	31
3.8 <i>In vivo</i> experiment	32
3.8.1 Preparation of solutions for <i>in vivo</i> experiment.....	33

3.8.1.1 Preparation of 1% w/v of sodium carbonate, sodium bicarbonate and clorox solution.....	33
3.8.1.2 Preparation of Homai solution.....	33
3.8.2 Fruit samples	33
3.8.3 Treatment of fruits	34
3.8.3.1 Dipping in different solutions.....	34
3.8.3.2 Hot water treatment	34
3.8.4 Natural infection of <i>C. musae</i>	35
3.8.5 Artificial inoculation of <i>C. musae</i>	35
3.8.6 Parameters measured.....	35
3.8.6.1 Lesion expansion rate	35
3.8.6.2 Days taken to appear anthracnose symptom.....	36
3.8.6.3 Area of disease development.....	36
3.8.6.4 Area of lesion development.....	36
3.9 <i>In vitro</i> experiment	36
3.9.1 Preparation of solution for <i>in vitro</i> experiment	37
3.9.1.1 Preparation of sodium carbonate, sodium bicarbonate and clorox solutions ...	37
3.9.1.2 Preparation of homai fungicide solution	37
3.9.2 In vitro treatment of <i>Colletotrichum musae</i> fungi	37
3.9.3 Parameters measured.....	38
3.9.3.1 Mycelial growth rate of <i>C. musae</i>	38
3.9.3.2 Lag period of mycelial growth	38
3.9.3.3 Mycelial inhibition percentage	38
3.10 Statistical Analysis	39
CHAPTER 4.....	40
RESULTS AND DISCUSSION.....	40
4.1 Evaluation of disease severity of <i>C. musae</i> in naturally infected fruits.....	40

4.1.1 Effects of inorganic salts, fungicide and hot water treatment on area of disease development	40
4.1.2 Effects of inorganic salts, fungicides and hot water treatment on expansion rate of lesion of naturally infected fruits.....	42
4.1.3 Effects of inorganic salts, fungicide and hot water treatment on number of days taken to appear anthracnose symptom.....	44
4.2 Evaluation of disease severity of <i>C. musae</i> in artificially inoculated bananas	45
4.2.1 Effects of inorganic salts, fungicide and hot water treatment on area of lesion developed.....	45
4.2.2 Effects of inorganic salts, fungicide and hot water treatment on expansion rate of lesion in artificial inoculation	47
4.3 Evaluation of fungal growth parameters under <i>in vitro</i> condition.....	48
4.3.1 Effects of inorganic salts and fungicide on growth rate of <i>C. musae</i>	48
4.3.2 Effects of inorganic salts and fungicide on mycelial inhibition percentage of <i>C. musae</i>	49
4.3.3 Effects of inorganic salts and fungicide on lag period of mycelial growth of fungi	51
4.4 Identification of fungi.....	52
CHAPTER 5.....	53
CONCLUSIONS	53
SUGGESTIONS FOR FUTURE STUDY.....	54
REFERENCES	55
APPENDICES	