EFFECTS OF GRADED NITROGEN LEVELS ON THE GROWTH AND QUALITY OF *Cordyline fruticosa* var.

'Purple Compacta' IN BATTICALOA DISTRICT





Main Library, EUSL

ABIRAMI KAILASADASAN

BY





FACULTY OF AGRICULTURE

EASTERN UNIVERSITY

SRI LANKA

2017

ABSTRACT

The government of Sri Lanka has identified cordyline (Cordyline fruticosa var. 'purple compacta') as one of the priority crop in the floriculture sector, targeting the export market. Cordyline is a popular foliage plant with high demand in the export markets as cut decorative foliage. 'Purple compacta' is a stunning variety of Cordvline fruticosa with a compact and miniature growing habit. There are several factors affecting vegetative growth and quality of cordyline plants. Nitrogen has significant effects on vegetative growth and quality of foliage plants. A shade house (50%) experiment was conducted to determine the effects of graded nitrogen levels on vegetative growth and quality of cordyline (Cordyline fruticosa var. 'purple compacta') plants in the Crop Farm, Eastern University, Sri Lanka from July 2017 to November 2017. The experiment was arranged in a completely randomized design with twenty replications. Five treatments were defined viz. 0.5(T1), 1.0 (T2), 1.5 (T3), 2.0 (T4) and 2.5 (T5) g nitrogen/plant/month (g/p/m). Phosphorous and Potassium levels were kept constant throughout the experiment. Urea was used as nitrogen source in this experiment. Urea was applied at monthly interval as a split application. Recommended agronomic practices were followed uniformly for all treatments. Parameters viz. plant height, leaf area, plant biomass and leaf nitrogen content were measured at monthly interval and quality of cuttings was assessed at the end of experiment. Analysis of Variance was performed to determine significant difference among treatments (p < 0.05). Results revealed that plants belong to T1 (nitrogen level 0.5g/p/m) showed significantly (p < 0.05) better performance in the measured growth parameters viz. plant height, leaf area, plant biomass and leaf nitrogen content, while the lowest performance was observed in T5 at 3 MAT. In quality assessment, plants grown at T1 received significantly highest score. From this study, it could be concluded that, plants grown at nitrogen level of 0.5g/p/m (T1) would have been the suitable amount of nitrogen as the growth and quality of plants was higher. A commercial scale evaluation is needed to recommend these findings to floricultural industries.

Keywords: Plant biomass, Leaf area, Leaf nitrogen content, Biomass partitioning.

1

5

TABLE	OF	CONTENTS
-------	----	----------

ABSTRACT1
ACKNOWLEDGEMENT iii
TABLE OF CONTENTS v
LIST OF TABLES x
LIST OF FIGURES xi
LIST OF PLATES xii
LIST OF ABBREVIATIONSxiii
CHAPTER 1 1
1.0 INTRODUCTION 1
CHAPTER 2
2.0 LITERATURE REVIEW
2. 1 Description of floriculture 6
2.1.1 Global floriculture industry
2.1.2 Floriculture industry in Sri Lanka
2.1.3 Types of plants produced in Sri Lanka 10
2.1.4 Potential for floriculture in Sri Lanka 11
2.1.5 Benefits of floriculture industry in Sri Lanka 11
2.1.6 Constraints of floriculture industry in Sri Lanka 12
2.2. Study plant 12
2.2.1 Classification of study plant13
2.2.2 Family characteristics of study plant
2.2.2.1 Habit and leaf form
2.2.2.2 Leaves
2.2.2.3 Leaf anatomy

2.2.2.4 Stem anatomy	
2.2.2.5 Root anatomy	
2.2.2.6 Reproductive type	e and pollination15
2.2.2.7 Inflorescence, flo	ral and seed morphology 15
2.2.2.8 Fruit morphology	
2.2.2.9 Seedling	
2.2.2.10 Physiology and	phytochemistry17
2.2.2.11 Geography and	cytology 18
2.2.3 Agronomic practices	
2.2.3.1 Ecological requir	ements 18
2.2.3.2 Propagation meth	nods 19
2.2.3.3. Media	
2.2.3.4 Crop managemen	nt 20
2.2.3.4.1 Waterir	ng 20
2.2.3.4.2 Fertilize	er application 20
2.2.3.5 Special practices	
2.2.3.6 Pest and disease	management 21
2.3 Plant Nutrition	
2.3.1 Fertilizers in Agriculture.	:
2.3.1.1 Different types of	of inorganic fertilizers23
2.3.1.2 Nitrogen	
2.3.1.3 Importance of n	itrogen in Agriculture24
2.3.1.4 The nitrogen cyc	cle in Agriculture 25
2.3.1.5 Soil nitrogen	

2.3.1.6 Nitrogen losses in soil
2.3.2 Nitrogen fertilization in crop production
2.3.3 Nitrogen fertilizer management practices
2.3.4 Nitrogen and Plants
2.3.5 Effect of nitrogen on crop growth and development
2.3.5.1 Plant height
2.3.5.2 Leaf area
2.3.5.3Leaf number
2.3.5.4 Plant biomass
2.3.5.5 Quality and quantity of yield
2.3.6 Overuse of nitrogen
2.3.7 Effect of climatic conditions on nitrogen fertilization
2.4 Summary 41
2.4 Summary
2.4 Summary
2.4 Summary
2.4 Summary
2.4 Summary 41 2.4 Summary 42 CHAPTER 3 42 3.0 MATERIALS AND METHODS 42 3.1 Experimental duration and site description 42 3.2 Experimental design 42 3.3 Agronomic practices 44
2.4 Summary 41 CHAPTER 3 42 3.0 MATERIALS AND METHODS 42 3.1 Experimental duration and site description 42 3.2 Experimental design 42 3.3 Agronomic practices 44 3.3.1 Planting materials 44
2.4 Summary 41 CHAPTER 3 42 3.0 MATERIALS AND METHODS 42 3.1 Experimental duration and site description 42 3.2 Experimental design 42 3.3 Agronomic practices 44 3.3.1 Planting materials 44 3.3.2 Preparation of polyethylene bags and potting media 44
2.4 Summary 41 CHAPTER 3 42 3.0 MATERIALS AND METHODS 42 3.1 Experimental duration and site description 42 3.2 Experimental design 42 3.3 Agronomic practices 44 3.3.1 Planting materials 44 3.3.2 Preparation of polyethylene bags and potting media 44 3.3.3 Spacing 45
2.4 Summary 41 CHAPTER 3 42 3.0 MATERIALS AND METHODS 42 3.1 Experimental duration and site description 42 3.2 Experimental design 42 3.3 Agronomic practices 44 3.3.1 Planting materials 44 3.3.2 Preparation of polyethylene bags and potting media 44 3.3.3 Spacing 45 3.3.4 Irrigation 45
2.4 Summary 41 CHAPTER 3 42 3.0 MATERIALS AND METHODS 42 3.1 Experimental duration and site description 42 3.2 Experimental design 42 3.3 Agronomic practices 44 3.3.1 Planting materials 44 3.3.2 Preparation of polyethylene bags and potting media 44 3.3.3 Spacing 45 3.3.4 Irrigation 45 3.3.5 Fertilizer application 41

	3.3.7 Plant protection	
	3.4 Sampling method and sampling interval	
	3.5 Measurements	
	3.5.1 Plant height (cm) 46	
	3.5.2 Leaf area per plant (cm ²) 47	
	3.5.3 Total plant biomass (g) 47	
	3.5.3.1 Biomass partitioning (%) 47	
	3.5.4 Leaf nitrogen content 48	
	3.6 Quality evaluation of experimental plants	
	3.7 Statistical analysis	
CHA	PTER 4	
1.0 R	ESULTS AND DISCUSSION 52	E.
	4.1 Plant height (cm)	1
	4.1.1 Effect of graded nitrogen levels on plant height with time 55	5
	4.2 Leaf area per plant (cm ²) 58	3
£.	4.2.1 Effect of graded nitrogen levels on leaf area per plant with time	
39		l
	4.3 Plant biomass (g)	4
	4.3.1 Effect of graded nitrogen levels on plant biomass of cordyline	
	(<i>Cordyline fruticosa</i> var. 'purple compacta') with time	8
	4.4 Leaf nitrogen content (SPAD value)7	1
	4.5 Quality evaluation of experimental plants	4